EAST Search History

EAST Search History (Prior Art)

Ref#	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	"6457087".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/25 12:31
L2	0	"6457087".pn. and transceiver	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/25 12:31
L4	1354	transceiver same bus same (buffer fifo) and control\$4 near4 transceiver	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/25 12:44
L5	588	transceiver same bus same (buffer fifo) same control\$4 near4 transceiver	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/25 12:45
L6	433	5 and @ad<="20020114"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/25 12:46
L7	62	6 and (transmit and receiv\$3) near5 mode\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/25 12:47
L9	2	"5734808".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/25 13:28
L10	0	"5734808".pn. and (transmit receive)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/25 14:01

L11	2	"5734808".pn. and (shift\$3 transfer\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/25 14:38
L12	1	"5734808".pn. and RST	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/25 14:52
L13	7	pipeline near2 processing same ((transmit and receive) near2 mode\$1 bi near2 direction\$3) and @ad<="20020114"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/25 15:07
S1	5	digital adj baseband adj system. ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/14 17:33
S2	2	"6055618".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/26 16:40
S3	2	"4667287".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/05 23:07
S4	5	"467287".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/26 16:40
S5	2	"4667287".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/26 16:42
S6	2	"6108713".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/26 16:45
S7	2	"4412285".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/26 16:47

S8	2	"5142676".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/26 16:48
S9	2	"5060186".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/26 19:00
S10	2	ibm.as. and baseband adj system.ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/26 19:01
S11	0	"375"/\$.ccls. and "buffer.clm"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/28 18:50
S12	0	"375"/\$.ccls. and "buffer.clm."	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/28 18:50
S13	69152	"375"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/28 18:51
S14	4025	S13 and buffer.clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/28 18:54
S15	0	S14 and (@ad="20060507")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/28 18:53
S16	7	S14 and (@ad>="20060507")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/28 18:53
S17	26	S13 and buffer adj system.clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/28 18:54
S18	864	signal adj processing adj chain	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/14 17:33

S19	11	S18 and common adj clock\$1	US-PGPUB; USPAT; USOCR;	OR	ON	2006/12/14 17:34
			EPO; JPO; DERWENT; IBM_TDB			17.34
S20	7	S19 and (@ad<="20020114" or @pd<="20020114")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/14 17:39
S21	2471	plurality with signal adj processing adj (unit\$1 device \$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/14 17:38
S22	9	S21 and (transmit and receive) adj mode\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/14 17:39
S23	4	S22 and (@ad<="20020114" or @pd<="20020114")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/14 19:38
S24	2	"6154488".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/14 19:38
S25	2	"6055618".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/18 23:42
S26	2	"4667287".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/18 23:42
S27	2	"5142676".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/24 18:54
S28	2	"6055618".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/07 11:36
S29	2	"6055618".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/07 14:30

S30	0	"2" and mulitplx\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/07 14:31
S31	8	"2" and multiplex\$3x\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/07 14:31
S32	0	S29 and multiplex\$3x\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/07 14:33
S33	2	"6108713".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/07 14:33
S34	2	"6108713".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/07 21:14
S35	0	S34 and demultiplexor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/07 21:14
S36	0	S34 and demultiplexer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/07 21:14
S37	198	signal adj processor with (multiplexer and demultiplexer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/07 21:17
S38	127	S37 and (@ad<="20020114" or @pd<="20020114")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/07 21:18
S39	2	S38 and flow adj control	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/07 21:54
S40	59	S38 and multiplexer with input	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/07 21:21

S41	41	S40 and demultiplexer with output	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/07 21:56
S42	3758	(multiplexer with input) with (demultiplexer with output)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/07 21:53
S43	105	S42 and flow adj control	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/07 21:54
S44	3	S43 and transceiver with (multiplexer and demultiplexer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/07 21:56
S45	2	"6055618".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 08:55
S46	0	S45 and baseband	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 08:58
S47	0	S45 and (ethernet token adj ring)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 09:06
S48	2	"5701416".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 09:05
S49	0	S48 and (ethernet token adj ring)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 09:08
S50	1	S45 and network	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 09:08
S51	2	"5659796".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 09:08

S52	0	S51 and (ethernet token adj ring)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB	OR	ON	2007/04/09 09:09
S53	0	S51 and (wire fiber)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 09:11
S54	60	(phit\$1 flit\$1 worm adj hole cut adj through) with (ethernet token adj ring)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 09:12
S55	50	S54 and (@ad<="20020114" or @pd<="20020114")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 09:39
S56	0	transceiver with pipe adj line\$1 adj signal adj processing	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 09:39
S57	5	transceiver with pipe adj line\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 09:41
S58	2	S57 and (@ad<="20020114" or @pd<="20020114")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 12:04
S59	497	(transceiver processor dsp) with pipe adj line\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 09:41
S60	77	S59 and processing with sequence	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 09:42
S61	60	S60 and (plurality multiple) with process\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 09:42
S62	0	S61 and baseband	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 09:44

S63	3	(US-4686668-\$ or US-6108713- \$ or US-5142676-\$).did.	USPAT	OR	ON	2007/04/09 09:44
S64	0	S61 and bluetooth	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 09:45
S65	15	S61 and buffer with bus	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 12:01
S66	1196	bluetooth adj transceiver	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 12:02
S67	1	S66 and (hec and whi and fec and acc)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 12:03
S68	1	S66 and (hec and fec and acc)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 12:03
S69	54	\$66 and processing adj module \$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 12:07
S70	3	S69 and (@ad<="20020114" or @pd<="20020114")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 12:07
S71	172	S66 and (multiple plural) with process\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 12:13
S72	13	S71 and (hec fec)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 12:07
S73	3	S70 and (@ad<="20020114" or @pd<="20020114")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 12:08

S74	6	S72 and (@ad<="20020114" or @pd<="20020114")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 12:14
S75	23	S66 and (buffer with bus)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 12:13
S76	6	S75 and (@ad<="20020114" or @pd<="20020114")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 12:14
S77	12	("20020027886" "20020101778" "20020163932" "20020167961" "20030137992" "5287541" "5687114" "5740028" "5996029" "6321266" "6473818" "6590928").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/09 14:18
S78	1	"7151745".pn. and (clock timer with (crc fec whitin))	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/09 14:20
S79	0	"7151745".pn. and (clock timer) with (crc fec whitin)	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/09 14:30
S80	0	bluetooth and (crc fec hec whit \$3) with common adj clock\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 15:50
S81	50	bluetooth and (crc fec hec whit \$3) with clock\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 15:35
S82	13	S81 and (@ad<="20020114" or @pd<="20020114")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 15:39
S83	2	"6650880".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 15:01
S84	1	S83 and control\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 15:32

S85	0	S83 and (transceiver and control \$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 15:06
S86	1	S83 and mode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 15:34
S87	1	S83 and multiplex\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 15:34
S88	0	(crc fec hec whit\$3) with multipex\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 15:38
S89	1996	(crc fec hec whit\$3) with (transmit and receive)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 15:39
S90	17	(crc fec hec whit\$3) with (transmit and receive) adj mode \$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 16:01
S91	14	S90 and (@ad<="20020114" or @pd<="20020114")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 16:01
S92	1196	bluetooth adj transceiver	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 16:01
S93	14	S91 and (@ad<="20020114" or @pd<="20020114")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 16:01
S94	321	S92 and (@ad<="20020114" or @pd<="20020114")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 16:01
S95	0	S94 and (crc fec hec whit\$3) with (transmit and receive) adj mode\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 16:02

S96	44	S94 and (crc fec hec whit\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 16:02
S97	0	S94 and (crc fec hec whit\$3) with multiplex\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 16:03
S98	24	S96 and multiplex\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 16:59
S99	2	"6055618".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 16:59
S100	4006473	S99 ans (hold stop)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 16:59
S101	1	S99 and (hold stop)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 17:05
S102	0	S99 and (defer\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 08:18
S103	2	"6055618".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 08:19
S104	0	S103 and control with (pause, hinder, stop, slow deter\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 08:39
S105	0	S103 and buffer with bus	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 08:53
S106	2	S103 and controll\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 09:52

S107	2	"7151745".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 09:52
S108	12	("20020027886" "20020101778" "20020163932" "20020167961" "20030137992" "5287541" "5687114" "5740028" "5996029" "6321266" "6473818" "6590928").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/10 09:53
S109	0	S108 and (bluetooth and tranceiver)	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/10 09:53
S110	1	S108 and (bluetooth and transceiver)	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/10 09:54
S111	295	(bluetooth and transceiver) and (fec hec whitin\$2)	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/10 09:54
S112	296	(bluetooth and transceiver) and (fec hec whitin\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 09:54
S113	288	S112 and (control adj line control\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 09:55
S114	133	S113 and (synchronous common adj clock)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 09:56
S115	6	S114 and (transmit and receive) adj mode\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 10:02
S116	3	(fe and hec and whitin\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 10:03
S117	0	(fec and hec and whitin\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 10:03

S118	0	455/25.ccls. and (fec and whitin \$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 10:04
S119	0	455/259.ccls. and (fec and whitin\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 10:06
S120	4	455/259.ccls. and (fec and whiten\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 10:08
S121	29	(bluetooth and transceiver) and (fec and whiten\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 10:09
S122	10	S121 and (@ad<="20020114" or @pd<="20020114")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 10:09
S123	21	("5144308" "5279978" "5294823" "5339040" "5424739" "5430317" "5449953" "5498885" "5578970" "5619069" "5643805" "5661329" "5684482" "5708971" "5724653" "5745061" "5757921" "5773340" "5799010" "5825887" "5930286").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/10 10:23
S124	2	"6650880".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/12 13:29
S125	1	S124 and packets	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/12 13:48
S126	0	S124 and transeciver	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/12 13:48

S127	0	S124 and transceiver	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/12 13:49
S128	91	bluetooth adj transceiver and (fec whitening crc)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/12 14:03
S129	31	S128 and (@ad<="20020114" or @pd<="20020114")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/12 14:50
S130	6	S129 and (fec whitening crc) with (module\$1 block\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/12 14:24
S131	211	uart with multiplexer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/12 14:49
S132	162	S131 and (@ad<="20020114" or @pd<="20020114")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/12 14:25
S133	11	S132 and uart with demultiplexer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/12 14:49
S134	4601	uart with (sequence or serial)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/12 14:49
S135	167	S134 and uart with (multiplexer demultiplexer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/12 14:50
S136	132	S135 and (@ad<="20020114" or @pd<="20020114")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/12 15:09
S137	129	S136 and (control adj line\$1 or control)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/12 14:51

S138	18	S137 and flow adj control	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/12 15:07
S139	1954	switch\$3 with (transmit and receive) adj mode\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/12 15:11
S140	10	S139 and common adj clock	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/12 15:08
S141	270	S139 and (common adj clock synchronous)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/12 15:08
S142	21	S141 and (multiplexer and demultiplexer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/12 15:08
S143	12	S142 and (@ad<="20020114" or @pd<="20020114")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/12 17:07
S144	3	(transmit and receive) adj mode \$1 with (multiplex\$3 and demultiplexer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/12 16:51
S145	2	"20020151275"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/12 17:06
S146	0	bluetooth adj transceiver with (bus and buffer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/12 17:06
S147	637114	bluetooth adj transceiver bus (bus and buffer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/12 17:07
S148	127	bluetooth adj transceiver and (bus and buffer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/12 17:07

S149	24	S148 and (@ad<="20020114" or @pd<="20020114")	US-PGPUB; USPAT; USOCR; EPO; JPO;	OR	ON	2007/04/12 22:34
			DERWENT; IBM_TDB			
S150	4907	bluetooth with (transceiver modem)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/12 22:35
S151	312	S150 and (fec ecc whitening crc)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/12 22:35
S152	92	S151 and (@ad<="20020114" or @pd<="20020114")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/12 22:38
S153	8	S152 and (transmit and receive) adj mode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/13 09:03
S154	2	"6366622".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/13 09:55
S155	0	S154 and buffer\$1 with bus	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/13 09:55
S156	1	S154 and buffer\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/13 09:57
S157	2	S154 and digital adj interface	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/13 10:00
S158	0	S154 and (rx tx) with digital adj interface	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/13 13:04
S159	2	"6650880".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/13 13:04

S160	1	S159 and uart	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/13 13:07
S161	1431	(fec crc whitening crc) with (transmit and receive)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/13 13:08
S162	54	S161 and bluetooth	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/13 13:08
S163	23	S162 and (@ad<="20020114" or @pd<="20020114")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/13 13:32
S164	21	("5144308" "5279978" "5294823" "5339040" "5424739" "5430317" "5449953" "5498885" "5578970" "5619069" "5643805" "5661329" "5684482" "5708971" "5724653" "5745061" "5757921" "5773340" "5799010" "5825887" "5930286").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/13 13:24
S165	2	"20020172263"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/13 13:31
S166	604	(multip\$3 plural\$3) with uart\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/13 13:31
S167	50	S166 and (uart\$1 with (sequence\$1 serie\$1 seral))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/13 13:32
S168	38	S167 and (@ad<="20020114" or @pd<="20020114")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/13 13:32
S169	2	"6587476".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 23:00

S170	709	455/553.1.œls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 23:00
S171	322	S170 and transceiver\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 23:00
S172	38	S171 and control with flow	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 23:00
S173	0	S172 and @ad<=22-114	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 23:01
S174	17	S172 and @ad<="20020114"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 23:08
S175	160	398/128.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 23:03
S176	203	398/130.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 23:05
S177	7	digital adj baseband adj system. ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 23:07
S178	581	370/389.ccls. and transceiver\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 23:13
S179	77	S178 and (feedback or feedfoward)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 23:08
S180	40	S179 and @ad<="20020114"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 23:08

S181	33	S180 and (sequence serie\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 23:08
S182	364	370/503.ccls. and transceiver\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 23:28
S183	19	(furrer.in. maiwald.in. schott. in.) and control adj line	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 23:29
S184	2	"6587476".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/19 11:18
S185	2	"6366622".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/19 09:52
S186	1	S185 and sequenc\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/19 10:29
S187	3	"20030096634"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/19 10:29
S188	3	"20030096634"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/19 11:50
S189	3267	harms.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/19 11:51
S190	0	S189 and used adj terminal adj parallel adj searcher	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/19 11:52
S191	2	S189 and user adj terminal adj parallel adj searcher	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/19 11:52

S192	2	"6587476".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/18 20:27
S193	2	"6587476".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/12 11:13
S194	2	"6366622".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/12 11:19
S195	76263	(plurality multiple) with (signal adj process\$3 transceiver\$1 dsp)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/08 19:51
S196	9451	S195 and connect\$3 with (serial \$3 sequence\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/08 19:51
S197	4529	S196 and (@ad<="20020114" or @pd<="20020114")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/08 19:52
S198	4440	S196 and @ad<="20020114"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/08 19:52
S199	0	S198 and commom adj clock\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/08 19:52
S200	127	S198 and common adj clock\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/08 19:52
S201	1370	S198 and (feedforward feedback)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/08 19:53

S202	59	S198 and (feedforward and feedback)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/08 19:53
S203	23	S202 and common adj clock\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/08 19:53
S204	13067	signal adj process\$3 with (serially sequence)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/08 19:58
S205	2913	S204 and (feedforward feedback)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/08 19:58
S206	172	S204 and (feedforward and feedback)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/08 19:58
S207	89	S206 and @ad<="20020114"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/08 19:58
S208	0	("e7.""155".ccls. "e7.""156". ccls. "e7.""157".ccls.) and (feedback and feedforward)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/08 20:05
S209	0	("e7.""155".ccls.) and (feedback and feedforward)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/08 20:08
S210	0	("e7.""155".ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/08 20:08
S211	0	"375"/\$.ccls. and feddback adj conrol	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/08 20:10

S212	0	"375"/\$.ccls. and feedback adj conrol	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/08 20:10
S213	1577	"375"/\$.ccls. and feedback adj control	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/08 20:10
S214	787	S213 and @ad<="20020114"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/08 20:11
S215	422	S214 and (serially sequence)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/08 20:14
S216	117	S215 and (synchronous\$2 common adj clock)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/08 20:14
S217	86	S216 and (transceiver transmitter and receiver transmitting and receiving)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/08 20:17
S218	23	S217 and connect\$3 with (sequence serially)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/08 20:18
S219	55705	switch\$3 with (transmit and receive)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/08 20:31
S220	4696	switch\$3 adj2 (transmit and receive)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/08 20:31
S221	2487	S220 and @ad<="20020114"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/08 20:31
S222	160	S221 and connected with (serially sequence)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/08 20:32

0000		0000	LIO DODUD		· · · · · · · · · · · · · · · · · · ·	0000/00/00
S223	25	S222 and (common adj clock synchronously)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/08 20:37
S224	2	"4451916".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/08 20:48
S225	1	S224 and supervisory with transmit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/08 21:07
S226	1	S224 and switch\$3 with transmit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/08 21:14
S227	3	"3973240".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/08 21:20
S228	1	"3973240".pn.	USPAT	OR	ON	2009/03/08 21:20
S229	41	375/219-221.ccls.and switch\$3 adj2 (transmit and receive)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/08 21:25
S230	25	S229 and @ad<="20020114"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/08 21:26
S231	2	"5469285".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/08 21:47
S232	1	"5469285".pn. and flow adj bridge	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/08 21:48
S233	8888	(sequential successive) adj processing	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/12 19:46

S234	4991	S233 and @ad<="20020114"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/12 19:47
S235	581	S234 and (synchronous\$2 common adj clock\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/12 19:48
S236	61	S235 and flow adj control	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/12 19:48
S237	0	S236 and (transmit and receive) adj mode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/12 19:55
S238	40	S236 and (transmit and receive)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/12 19:55
S239	49	S236 and (transmit and receive bi adj directional\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/12 19:57
S240	19	S236 and switch\$3 with (transmit and receive bi adj directional\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/12 20:00
S241	0	"switching between transmit and receive mode"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/12 20:13
S242	0	"switching between transmitting and receiving mode"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/12 20:14
S243	0	"transmitting and receiving mode"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/12 20:14
S244	0	"transmit and receive mode"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/12 20:14

S245	2998157	(transmit and receive mode)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/12 20:15
S246	2	"6449667".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/12 20:21
S247	2	(US-20060238240-\$ or US- 20050285862-\$).did.	US-PGPUB	OR	ON	2009/03/12 20:39
S248	0	"5390238".pn. and (first adj mode and second adj mode)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/12 20:44
S251	1	"5390298".pn. and (first adj mode and second adj mode)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/12 20:45
S252	2	"5390298".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/12 20:50
S253	3721	transmit adj mode with receive adj mode	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/13 09:20
S254	114	S253 and common adj clock	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/13 09:20
S255	92	S254 and switching with mode \$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/13 09:21
S256	5	S255 and @ad<="20020114"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/13 09:21

S257	2	"20010055276"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB	OR	ON	2009/03/13 09:22
S258	407	(370/419.ccls. 370/463.ccls. 370/423.ccls.) and packets and (input or ingress or port) and (output or egress or port) and (computer or processor or controller) and clock and (control or mode or selector) and (serial or cascade)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/22 11:45
S259	258	S258 and @ad<="20020114"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/22 11:47
S260	407	(370/419.ccls. 370/463.ccls. 370/423.ccls.) and packets and (input or ingress or port) and (output or egress or port) and (computer or processor or controller) and clock and (control or mode or selector) and (serial or cascade)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/22 17:21
S261	258	S260 and @ad<="20020114"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/22 17:21
S262	407	(370/419.ccls. 370/463.ccls. 370/423.ccls.) and packets and (input or ingress or port) and (output or egress or port) and (computer or processor or controller) and clock and (control or mode or selector) and (serial or cascade)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/24 10:52
S263	258	S262 and @ad<="20020114"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/24 10:52
S264	8	S263 and transmit adj3 receiver	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/24 10:52
S265	160	S263 and transmit adj3 receive	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/24 10:52

S266	14	S263 and (transmit receive) adj mode\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/24 10:53
S267	2	"20040109468"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/24 10:54
S268	0	"20040109468" and switch\$3 with (transmit and receive)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/24 17:33
S269	0	"20040109468" and switch\$3 with (transmit receive)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/24 17:33
S270	407	(370/419.ccls. 370/463.ccls. 370/423.ccls.) and packets and (input or ingress or port) and (output or egress or port) and (computer or processor or controller) and clock and (control or mode or selector) and (serial or cascade)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/24 17:42
S271	258	S270 and @ad<="20020114"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/24 17:42
S272	14	S271 and (transmit receive) adj mode\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/24 17:42
S273	6	S272 and flow with control\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/24 17:43
S274	2	"6393489".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/24 17:48
S275	10	1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/22 12:34

S276	1	"6457087".pn. and (CIU DDU) same (transmitting receiving transmit receive)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/22 13:50
S277	1	"6457087".pn. and (CIU DDU) same (transmitting receiving transmit receive)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/22 16:56
S278	1	"6457087".pn. and (CIU DDU) same (transmitting receiving transmit receive) and clock\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/22 17:11
S279	1	"6457087".pn. and flow adj control	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/22 17:27
S282	8	digital adj baseband adj system. ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/22 17:41
S283	1	"20040076156" and flow near2 control same preceding	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/22 17:44
S284	311	processing near2 input near2 data same pipeline	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/22 17:58
S285	17	S284 and common near2 clock	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/22 17:58
S286	12	S285 and @ad<="20020114"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/22 18:06
S287	0	(multiple near3 transceiver\$1) and pipeline near2 processing and commom near2 clock\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/22 18:30
S288	72	((multiple plurality) near3 transceiver\$1) and pipeline near2 process\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/22 18:31

5200	ΩΛ	C200 and common poor? deal	US-PGPUB;	OR	ON	2010/02/22
S289	24	S288 and common near2 clock	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	Vn	ON	2010/02/22 18:31
S290	20	S289 and @ad<="20020114"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/22 18:31
S291	5	("4449201" "4945500" "5208909" "5297240" "5420980").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2010/02/22 19:34
S292	3682	((transmit\$5 and receiv\$3) bi adj directional) and pipe adj line	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2010/02/22 19:40
S293	812	S292 and flow near2 control\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2010/02/22 19:41
S294	436	S293 and @ad<="20020114"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/22 19:41
S295	15	\$294 and switch\$3 near5 ((transmit\$5 and receiv\$3) bi adj directional)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2010/02/22 19:42
S296	2	"5734808".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2010/02/22 19:52
S297	16	(345/419 345/440 345/506 345/509 345/559 345/623 345/624).ccls. and processing near2 input near2 data same pipeline	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/22 19:59
S298	1	S297 and common near2 clock	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/22 19:59
S299	10	((control\$4 or prevent\$3) near3 (congesti\$4 or flow\$3)) same ((multipl\$4 or plural\$3) near3 (transceiver\$1 or modem\$ or processor\$2)) and (common near3 clock\$3) and @ad<="20020114"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/22 20:02
S300	2	"5734808".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/22 20:26

S301	34	pipeline adj processing and (transmit and receive) near2 mode\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/22 20:28
S302	12	S301 and @ad<="20020114"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/22 20:28
S303	35093	(pipeline sequential\$3 successiv \$3 serial\$3) near3 process\$3 and ((transmit\$5 and receiv\$3) bi adj directional\$3) and @ad< = "20020114"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/22 20:37
S306	241	S303 and flow near2 control and switch\$3 near5 (transmit and receive)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/22 22:31
S308	241	S306 and @ad<="20020114"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/22 22:32
S309	44	S308 and transmit near2 mode \$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/22 22:36
S310	36	("4315308" "4438494" "4480307" "5313609" "5335335" "5440698" "5505686" "5511226" "5513335" "5524234" "5535363" "5537569" "5561779" "5568620" "5574868" "5577204" "5581729" "5588131" "5594886" "5606686" "5634043" "5634068" "5644754" "5655100" "5657472" "5682516" "5796605" "5829034" "5895495" "5897656" "5940856" "5946709").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2010/02/22 22:42
S311	49	transceiver\$1 same sequential \$3 same transmit near2 mode \$1	US-PGPUB; USPAT; USOCR	OR	ON	2010/02/22 22:54

S312	2	S311 and flow near2 control and @ad<="20020114"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/22 22:55
S313	7	transceiver\$3 near3 arrang\$3 near3 serial\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/22 22:56
S315	4	S313 and @ad<="20020114"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/22 22:57
S316	2	"5734808".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/24 15:02
S317	0	"10614523"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/24 15:05
S318	8	digital adj baseband adj system. ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/24 15:06
S319	1	"20040076156" and (preced\$3 follow\$3 stall)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/24 15:07
S320	0	flow near2 contro and (transmit and receive) near2 mode\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/24 15:14
S321	1299	flow near2 control and (transmit and receive) near2 mode\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/24 15:14
S322	77	S321 and switch\$3 near3 (transmit and receive) near2 mode\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/24 15:15

S323	42	S322 and @ad<="20020114"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/24 15:16
S324	2	"6,457,087".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/24 15:33
S325	1	"6,457,087".pn. and flow adj control and (transmit and receive) near2 mode\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/24 15:35
S326	74	(transmit and receive) near2 mode\$1 same (multiple plurality) same (serial\$3 sequential\$3) same (dsp\$1 cpu \$1 transceiver\$1 device\$1 memor\$3 fif\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/24 17:11
S327	39	S326 and @ad<="20020114"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/24 17:12
S328	1	S327 and common near2 clock \$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/24 17:15
S329	3	pipeline near3 process\$3 same sequential\$3 near3 transfer\$5 and common near2 clock\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/24 17:19
S330	10	pipeline near3 process\$3 and (transmit and receive) and sequential\$3 near3 transfer\$5 and common near2 clock\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/24 17:23
S331	5	S330 and @ad<="20020114"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/24 17:23
S334	92	(transceiver\$1 signal adj process\$3 dsp) same (sequence sequential\$3) same common near2 clock\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/24 18:32

S336	34	S334 and @ad<="20020114"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/24 18:32
S337	3749	switching near3 (transmit\$4 receiv\$3) near2 mode\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/24 18:50
S338	1726	S337 and (serial\$3 sequence sequential\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/24 18:51
S339	6	S338 and common near2 clock and @ad<="20020114"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/24 18:52
S341	2	"6065077".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/24 19:16
S342	10	((control\$4 or prevent\$3) near3 (congestion\$ or flow\$)) same ((multipl\$5 or plural\$3) near3 (transceiver\$1 or modem\$1 or processor\$2)) and (common near3 clock\$3) and @ad<="20020114"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/24 19:24
S 343	2	\$342 and transmit near2 mode \$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/24 19:25
S345	2	("6065077".pn. "6457087".pn.) and flow near2 control\$3	US-PGPUB; USPAT	OR	ON	2010/02/24 19:29
S346	1	"5734808".pn.	US-PGPUB; USPAT	OR	ON	2010/02/24 21:13
S347	1	"5734808".pn. and multiplex\$3	US-PGPUB; USPAT	OR	ON	2010/02/24 22:22
S348	1	"6,457,087".pn. and multiplex \$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/24 22:27
S349	0	"5734808".pn. and logic	US-PGPUB; USPAT	OR	ON	2010/02/24 22:37
S350	1	"5734808".pn. and pipeline near2 control	US-PGPUB; USPAT	OR	ON	2010/02/24 22:38

\$351	157	pipeline adj processing same multiplex\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/24 22:54
S352	95	S351 and @ad<="20020114"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/24 22:54
S353	3	S352 and common near2 clock	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/24 22:54

EAST Search History (Interference)

< This search history is empty>

2/25/10 3:37:48 PM

C:\ Documents and Settings\ LWilliams5\ My Documents\ EAST\ Workspaces\ 10614523P.wsp